




ELECTROSURGICAL ACCESSORIES

TECHNICAL INFORMATION

INDEX

Page 06: *Power Supply Cable*

Page 09: *Surgical pencil*

Page 12: *Foot Switch*

Page 16: *Neutral*

Page 23: *Connection*

Page 29: *Electrode*

Page 34: *Adapters*

Page 36: *Bipolar/Monopolar*

Page 44: *Evacuation Kit*

Page 47: *Units support*

CAPTIONS

Compatibility:

+ = optional

x = not compatible

+A = compatible only if you use adapter

N = Quantity Supplied



Packaging:
quantity of articles contained



Autoclavable at 134°



Not reusable



Sterilized with ethylene

IP67

The item is completely dust-proof
and can with stand a 30-minute
immersion in standing water



Anti explosion



100 Sterilization cycles



30 Sterilization cycles





ACCESORIES




POWER SUPPLY CABLE

Description Power supply cable SIE-IEC
Cable Lenght 5 m (196,85 in)

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



00100.01




Description Power supply cable SIE-IEC
Cable Lenght 2 m (78,74 in)

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



00100.03




Description Power supply cable IT-IEC
Cable Lenght 2 m (78,74 in)

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



00100.00




Description Power supply cable USA-IEC
Cable Lenght 2 m (78,74 in)


- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



00100.04




00100.05



Description	Power supply cable UK-IEC
Cable Lenght	2 m (78,74 in)
50 D	
+ 80 D	
+ 80	
+ 120	
+ 160	
+ 200	
+ TOUCH 200	
+ FLASH 120	
+ FLASH 160 HF	
+ FLASH 200	
+ 300 HP	
+ 400 HP	
+ SURTRON EVAC	
+ SURTRON ABC	
+ TOUCH HP 50D	
+ TOUCH HP 80D	
+ TOUCH HP 80	
+ TOUCH HP 120	
+ TOUCH HP 160	
+ TOUCH HP 200	
+ TOUCH HP 300	
+ TOUCH HP 400	
+ TOUCH HP EVAC	




00100.07



Description	Power supply cable BR-IEC
Cable Lenght	2 m (78,74 in)
50 D	
+ 80 D	
+ 80	
+ 120	
+ 160	
+ 200	
+ TOUCH 200	
+ FLASH 120	
+ FLASH 160 HF	
+ FLASH 200	
+ 300 HP	
+ 400 HP	
+ SURTRON EVAC	
+ SURTRON ABC	
+ TOUCH HP 50D	
+ TOUCH HP 80D	
+ TOUCH HP 80	
+ TOUCH HP 120	
+ TOUCH HP 160	
+ TOUCH HP 200	
+ TOUCH HP 300	
+ TOUCH HP 400	
+ TOUCH HP EVAC	




00100.09



Description	Power supply cable AU/CN-IEC
Cable Lenght	2 m (78,74 in)
50 D	
+ 80 D	
+ 80	
+ 120	
+ 160	
+ 200	
+ TOUCH 200	
+ FLASH 120	
+ FLASH 160 HF	
+ FLASH 200	
+ 300 HP	
+ 400 HP	
+ SURTRON EVAC	
+ SURTRON ABC	
+ TOUCH HP 50D	
+ TOUCH HP 80D	
+ TOUCH HP 80	
+ TOUCH HP 120	
+ TOUCH HP 160	
+ TOUCH HP 200	
+ TOUCH HP 300	
+ TOUCH HP 400	
+ TOUCH HP EVAC	




00100.10



Description	Power supply cable JP-IEC
Cable Lenght	2 m (78,74 in)
50 D	
+ 80 D	
+ 80	
+ 120	
+ 160	
+ 200	
+ TOUCH 200	
+ FLASH 120	
+ FLASH 160 HF	
+ FLASH 200	
+ 300 HP	
+ 400 HP	
+ SURTRON EVAC	
+ SURTRON ABC	
+ TOUCH HP 50D	
+ TOUCH HP 80D	
+ TOUCH HP 80	
+ TOUCH HP 120	
+ TOUCH HP 160	
+ TOUCH HP 200	
+ TOUCH HP 300	
+ TOUCH HP 400	
+ TOUCH HP EVAC	





SURGICAL PENCIL

Description Monopolar Handpiece
Cable Length 3 m (118,11 in)
Size 18,5x1,6x1,7 cm (7,2x0,62x0,66 in)
Weight 0,03kg (0,06 lb)
Electrode Compatibility ø2,4 mm (0,94 in)
Sterilization Autoclavable
Sterilization cycles 100



50 D	+	TOUCH 200	x	SURTRON EVAC
80 D	+	FLASH 120	x	SURTRON ABC
80	+	FLASH 160 HF	1	TOUCH HP 50D
120	+	FLASH 200	1	TOUCH HP 80D
160	+	300 HP	+	TOUCH HP 80
200	+	400 HP	+	TOUCH HP 120
TOUCH 200	+		+	TOUCH HP 160
FLASH 120	+		+	TOUCH HP 200
FLASH 160 HF	+		+	TOUCH HP 300
FLASH 200	+		+	TOUCH HP 400
300 HP	+		+	TOUCH HP EVAC
400 HP	+		+	
SURTRON EVAC	x			
SURTRON ABC	x			
TOUCH HP 50D	1			
TOUCH HP 80D	1			
TOUCH HP 80	+			
TOUCH HP 120	+			
TOUCH HP 160	+			
TOUCH HP 200	+			
TOUCH HP 300	+			
TOUCH HP 400	+			
TOUCH HP EVAC	x			

00206.00




Description Monopolar Handpiece
Cable Length 3m (118,11 in)
Size 18,5x1,6x1,7 cm (7,2x0,62x0,66 in)
Weight 0,03 kg (0,06 lb)
Electrode Compatibility ø4 mm (1,15 in)
Sterilization Autoclavable
Sterilization cycles 100



50 D	+	TOUCH 200	x	SURTRON EVAC
80 D	+	FLASH 120	x	SURTRON ABC
80	+	FLASH 160 HF	1	TOUCH HP 50D
120	+	FLASH 200	1	TOUCH HP 80D
160	+	300 HP	+	TOUCH HP 80
200	+	400 HP	+	TOUCH HP 120
TOUCH 200	+		+	TOUCH HP 160
FLASH 120	+		+	TOUCH HP 200
FLASH 160 HF	+		+	TOUCH HP 300
FLASH 200	+		+	TOUCH HP 400
300 HP	+		+	TOUCH HP EVAC
400 HP	+		+	
SURTRON EVAC	x			
SURTRON ABC	x			
TOUCH HP 50D	1			
TOUCH HP 80D	1			
TOUCH HP 80	+			
TOUCH HP 120	+			
TOUCH HP 160	+			
TOUCH HP 200	+			
TOUCH HP 300	+			
TOUCH HP 400	+			
TOUCH HP EVAC	x			

00206.40




Description Handpiece for argon electrodes reusable
Cable Length 3,5 m (137,8 in)
Size 18,5x1,6x1,7 cm (7,2x0,62x0,66 in)
Weight 0,03kg (0,06lb)
Electrode Compatibility ø4 mm (1,15 in)
Sterilization Autoclavable
Sterilization cycles 100



50 D	+	TOUCH 200	x	SURTRON EVAC
80 D	+	FLASH 120	x	SURTRON ABC
80	+	FLASH 160 HF	1	TOUCH HP 50D
120	+	FLASH 200	1	TOUCH HP 80D
160	+	300 HP	+	TOUCH HP 80
200	+	400 HP	+	TOUCH HP 120
TOUCH 200	+		+	TOUCH HP 160
FLASH 120	+		+	TOUCH HP 200
FLASH 160 HF	+		+	TOUCH HP 300
FLASH 200	+		+	TOUCH HP 400
300 HP	+		+	TOUCH HP EVAC
400 HP	+		+	
SURTRON EVAC	x			
SURTRON ABC	1			
TOUCH HP 50D	x			
TOUCH HP 80D	x			
TOUCH HP 80	x			
TOUCH HP 120	x			
TOUCH HP 160	x			
TOUCH HP 200	x			
TOUCH HP 300	+			
TOUCH HP 400	+			
TOUCH HP EVAC	x			

00420.00



Description Disposable handle with finger switches (F4797)
Size 14x2x1 cm (5,5x0,78x0,39 in)
Cable Length 3m (118,11in)
Weight 0,07 kg (0,15 lb)
Electrode Compatibility ø2,4 mm (0,094 in)
Sterilization Sterile EO
Sterilization cycles 0



50 D	+	TOUCH 200	x	SURTRON EVAC
80 D	+	FLASH 120	x	SURTRON ABC
80	+	FLASH 160 HF	1	TOUCH HP 50D
120	+	FLASH 200	1	TOUCH HP 80D
160	+	300 HP	+	TOUCH HP 80
200	+	400 HP	+	TOUCH HP 120
TOUCH 200	+		+	TOUCH HP 160
FLASH 120	+		+	TOUCH HP 200
FLASH 160 HF	+		+	TOUCH HP 300
FLASH 200	+		+	TOUCH HP 400
300 HP	+		+	TOUCH HP EVAC
400 HP	+		+	
SURTRON EVAC	x			
SURTRON ABC	x			
TOUCH HP 50D	x			
TOUCH HP 80D	x			
TOUCH HP 80	+			
TOUCH HP 120	+			
TOUCH HP 160	+			
TOUCH HP 200	+			
TOUCH HP 300	5			
TOUCH HP 400	5			
TOUCH HP EVAC	x			

755VL





FOOT SWITCH


Description
Cable Length
Size
Weight

Water-proof foot switch
2 m (78,75 in)
11x3,5x9 cm (7,2x0,62x0,66 in)
0,3 kg (0,66 lb)



- 50 D
- 1 80 D
- 1 80
- 1 120
- 1 160
- 1 200
- 1 TOUCH 200
- 1 FLASH 120
- 1 FLASH 160 HF
- 1 FLASH 200
- x 300 HP
- x 400 HP
- + SURTRON EVAC
- x SURTRON ABC
- 1 TOUCH HP 50D
- 1 TOUCH HP 80D
- 1 TOUCH HP 80
- 1 TOUCH HP 120
- 1 TOUCH HP 160
- 1 TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- + TOUCH HP EVAC

00304.00



WATER PROOF IP67


Description
Cable Length
Size
Weight

Single water-proof foot switch (3 pins)
5 m (196,85 in)
11x3,5x9 cm (7,2x0,62x0,66 in)
0,3 kg (0,66 lb)



- 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- + SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- x TOUCH HP 80
- x TOUCH HP 120
- x TOUCH HP 160
- x TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC

00304.01



WATER PROOF IP67


Description
Cable Length
Size
Weight

Water-proof foot switch
3 m (118,11 in)
11x3,5x9 cm (7,2x0,62x0,66 in)
0,3 kg (0,66 lb)



- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- x 300 HP
- x 400 HP
- + SURTRON EVAC
- x SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- + TOUCH HP EVAC

00304.04 S



WATER PROOF IP67


Description
Cable Length
Size
Weight

Water-proof foot switch (6 pins)
5 m (196,85 in)
11x3,5x9 cm (7,2x0,62x0,66 in)
0,3 kg (0,66 lb)




- 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- x TOUCH HP 80
- x TOUCH HP 120
- x TOUCH HP 160
- + TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC

00304.06 S



WATER PROOF IP67

00304.PO



Description Protection for single foot switch
Cable Length NO
Size 12x10x14 cm (4,7x3,9x1,64 in)
Weight 0,65 kg (0,143 lb)



pcs: 1

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC

00305.03_S



Description Double water proof foot switch (5 pins)
Cable Length 5 m (196,85 in)
Size 35x6x18 cm (13,78x2,36x7 in)
Weight 1.3 kg (2,86lb)



pcs: 1

- x 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- x TOUCH HP 80
- x TOUCH HP 120
- x TOUCH HP 160
- x TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC

WATER PROOF IP67

00305.04_S



Description Waterproof double foot switch (3 pins)
Cable Length 5 m (196,85 in)
Size 35x6x18 cm (13,78x2,36x7 in)
Weight 1.3 kg (2,86lb)



pcs: 1

- x 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- + SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- x TOUCH HP 80
- x TOUCH HP 120
- x TOUCH HP 160
- x TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC

WATER PROOF IP67

Description Waterproof double foot switch (6 pins)
Cable Length 5 m (196,85 in)
Size 35x6x18 cm (13,78x2,36x7 in)
Weight 1.3 kg (2,86lb)



50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 TOUCH 200 x
 FLASH 120 x
 FLASH 160 HF x
 FLASH 200 x
 300 HP x
 400 HP x
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 x
 TOUCH HP 120 x
 TOUCH HP 160 x
 TOUCH HP 200 x
 TOUCH HP 300 x
 TOUCH HP 400 x
 TOUCH HP EVAC x

00305.06_S



WATER
PROOF



IP67

Description Waterproof double foot switch with selector (6 pins)
Cable Length 5 m (196,85 in)
Size 35x6x18 cm (13,78x2,36x7 in)
Weight 1.3 kg (2,86lb)



50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 + TOUCH 200 x
 FLASH 120 x
 FLASH 160 HF x
 FLASH 200 x
 300 HP x
 400 HP x
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 x
 TOUCH HP 120 x
 TOUCH HP 160 x
 TOUCH HP 200 x
 TOUCH HP 300 x
 TOUCH HP 400 x
 TOUCH HP EVAC x

00306.03_S



WATER
PROOF



IP67

Description Waterproof double foot switch with selector (6 pins)
Cable Length 5 m (196,85 in)
Size 35x6x18 cm (13,78x2,36x7 in)
Weight 1.3 kg (2,86lb)



50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 TOUCH 200 x
 FLASH 120 x
 FLASH 160 HF x
 FLASH 200 x
 300 HP x
 400 HP x
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 x
 TOUCH HP 120 x
 TOUCH HP 160 x
 TOUCH HP 200 x
 TOUCH HP 300 x
 TOUCH HP 400 x
 TOUCH HP EVAC x

00306.06_S



WATER
PROOF



IP67




**NEU
TRAL**

Description Rod neutral electrode with cable
Cable Length 1,8 m (70,86 in)
Size 12xø1,8 cm (4,72x0,7 in)
Weight 0,1 kg (0,22 lb)
Sterilization NO
Sterilization cycles NO



+ 50 D
 + 80 D
 + 80
 + 120
 + 160
 + 200
 + TOUCH 200
 + FLASH 120
 + FLASH 160 HF
 + FLASH 200
 + 300 HP
 + 400 HP
 x SURTRON EVAC
 x SURTRON ABC
 + TOUCH HP 50D
 + TOUCH HP 80D
 + TOUCH HP 80
 + TOUCH HP 120
 + TOUCH HP 160
 + TOUCH HP 200
 + TOUCH HP 300
 + TOUCH HP 400
 x TOUCH HP EVAC

00400.00



MAX. 120W


Integrated connection

Description Steel neutral electrode with cable
Cable Length 3 m (118,11 in)
Size 16x12 cm (6,3x4,7 in)
Weight 0,13 kg (0,28 lb)
Sterilization NO
Sterilization cycles NO



+ 50 D
 + 80 D
 + 80
 + 120
 + 160
 + 200
 + TOUCH 200
 + FLASH 120
 + FLASH 160 HF
 + FLASH 200
 + 300 HP
 + 400 HP
 x SURTRON EVAC
 x SURTRON ABC
 + TOUCH HP 50D
 + TOUCH HP 80D
 + TOUCH HP 80
 + TOUCH HP 120
 + TOUCH HP 160
 + TOUCH HP 200
 + TOUCH HP 300
 + TOUCH HP 400
 x TOUCH HP EVAC

00401.00




Integrated connection

Description Steel neutral electrode with cable
Cable Length 3 m (118,11 in)
Size 24x16 cm (9,4x6,3 in)
Weight 0,13 kg (0,28 lb)
Sterilization NO
Sterilization cycles NO




+ 50 D
 + 80 D
 + 80
 + 120
 + 160
 + 200
 + TOUCH 200
 + FLASH 120
 + FLASH 160 HF
 + FLASH 200
 + 300 HP
 + 400 HP
 x SURTRON EVAC
 x SURTRON ABC
 + TOUCH HP 50D
 + TOUCH HP 80D
 + TOUCH HP 80
 + TOUCH HP 120
 + TOUCH HP 160
 + TOUCH HP 200
 + TOUCH HP 300
 + TOUCH HP 400
 x TOUCH HP EVAC

00401.01



Integrated connection

00401.02




134°C
Integrated connection

Description	Steel neutral electrode autoclavable
Size WxHxD	16x12x0,4 cm (6,3x4,7x0,15 in)
Cable Lenght	3 m (118,11 in)
Weight	0,13 kg (0,28 lb)
Sterilization	Autoclavable
Sterilization cycles	100

pcs: 1

+ 50 D	+ 80 D	+ 80	+ 120	+ 160	+ 200	+ TOUCH 200	+ FLASH 120	+ FLASH 160 HF	+ FLASH 200	+ 300 HP	+ 400 HP	x SURTRON EVAC	x SURTRON ABC	+ TOUCH HP 50D	+ TOUCH HP 80D	+ TOUCH HP 80	+ TOUCH HP 120	+ TOUCH HP 160	+ TOUCH HP 200	+ TOUCH HP 300	+ TOUCH HP 400	x TOUCH HP EVAC
--------	--------	------	-------	-------	-------	-------------	-------------	----------------	-------------	----------	----------	----------------	---------------	----------------	----------------	---------------	----------------	----------------	----------------	----------------	----------------	-----------------

00401.03




134°C
Integrated connection

Description	Steel neutral electrode autoclavable
Size WxHxD	24x16x0,4 cm (9,4x6,3x0,15 in)
Cable Lenght	3 m (118,11 in)
Weight	0,13 kg (0,28 lb)
Sterilization	Autoclavable
Sterilization cycles	100

pcs: 1

+ 50 D	+ 80 D	+ 80	+ 120	+ 160	+ 200	+ TOUCH 200	+ FLASH 120	+ FLASH 160 HF	+ FLASH 200	+ 300 HP	+ 400 HP	x SURTRON EVAC	x SURTRON ABC	+ TOUCH HP 50D	+ TOUCH HP 80D	+ TOUCH HP 80	+ TOUCH HP 120	+ TOUCH HP 160	+ TOUCH HP 200	+ TOUCH HP 300	+ TOUCH HP 400	x TOUCH HP EVAC
--------	--------	------	-------	-------	-------	-------------	-------------	----------------	-------------	----------	----------	----------------	---------------	----------------	----------------	---------------	----------------	----------------	----------------	----------------	----------------	-----------------

00401.10



134°C
CICLI 100 CYCLES

Description	Steel neutral electrode FLEX
Size WxHxD	12x21x0,2 cm (4,7x8,2x0,078 in)
Cable Lenght	NO
Weight	0,10 Kg (0,23 lb)
Sterilization	Autoclavable
Sterilization cycles	100
Compatibility	00404.08, 00404.09, 00404.10, 00404.11

pcs: 1

+ 50 D	+ 80 D	+ 80	+ 120	+ 160	+ 200	+ TOUCH 200	+ FLASH 120	+ FLASH 160 HF	+ FLASH 200	+ 300 HP	+ 400 HP	x SURTRON EVAC	x SURTRON ABC	+ TOUCH HP 50D	+ TOUCH HP 80D	+ TOUCH HP 80	+ TOUCH HP 120	+ TOUCH HP 160	+ TOUCH HP 200	+ TOUCH HP 300	+ TOUCH HP 400	x TOUCH HP EVAC
--------	--------	------	-------	-------	-------	-------------	-------------	----------------	-------------	----------	----------	----------------	---------------	----------------	----------------	---------------	----------------	----------------	----------------	----------------	----------------	-----------------

Description Steel neutral electrode FLEX with cable

Size WxHxD 12x21x0,2 cm (4,7x8,2x0,078 in)

Cable Length 3m (118,11 in)

Weight 0,19 Kg (0,42lb)


Sterilization NO

Sterilization cycles NO



+ 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

00401.11



Integrated connection

Description Steel neutral electrode FLEX with cable autoclavable

Size WxHxD 12x21x0,2 cm (4,7x8,2x0,078 in)

Cable Length 3m (118,11 in)

Weight 0,19 Kg (0,42lb)

Sterilization Autoclavable

Sterilization cycles 100



+ 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

00401.12



Integrated connection

134°C



Description Steel neutral electrode FLEX S

Size WxHxD 12x21x0,2 cm (4,7x8,2x0,078 in)

Cable Length NO

Weight 0,10 Kg (0,23 lb)

Sterilization Autoclavable


Sterilization cycles 100

Compatibility 00404.08, 00404.09, 00404.10, 00404.11



x 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

00401.20




134°C





CON NECT ION

00402.00



Description	Monopolar Cable M4-F4
Weight	0,06 kg (0,13lb)
Cable Lenght	3 m (118,11 in)
Sterilization	Autoclavable
Sterilization cycles	100

pcs: 1	
50 D	+
80 D	+
80	+
120	+
160	+
200	+
TOUCH 200	+
FLASH 120	+
FLASH 160 HF	+
FLASH 200	+
300 HP	+
400 HP	+
SURTRON EVAC	x
SURTRON ABC	x
TOUCH HP 50D	+
TOUCH HP 80D	+
TOUCH HP 80	+
TOUCH HP 120	+
TOUCH HP 160	+
TOUCH HP 200	+
TOUCH HP 300	+
TOUCH HP 400	+
TOUCH HP EVAC	x


00402.01



Description	Monopolar Cable M4-F2,8
Weight	0,06 kg (0,13 lb)
Cable Lenght	3 m (118,11 in)
Sterilization	Autoclavable
Sterilization cycles	100

pcs: 1	
50 D	+
80 D	+
80	+
120	+
160	+
200	+
TOUCH 200	+
FLASH 120	+
FLASH 160 HF	+
FLASH 200	+
300 HP	+
400 HP	+
SURTRON EVAC	x
SURTRON ABC	x
TOUCH HP 50D	+
TOUCH HP 80D	+
TOUCH HP 80	+
TOUCH HP 120	+
TOUCH HP 160	+
TOUCH HP 200	+
TOUCH HP 300	+
TOUCH HP 400	+
TOUCH HP EVAC	x


00402.02



Description	Monopolar Cable M4-MP4
Weight	0,06 kg (0,13 lb)
Cable Lenght	3 m (118,11 in)
Sterilization	Autoclavable
Sterilization cycles	100

pcs: 1	
50 D	+
80 D	+
80	+
120	+
160	+
200	+
TOUCH 200	+
FLASH 120	+
FLASH 160 HF	+
FLASH 200	+
300 HP	+
400 HP	+
SURTRON EVAC	x
SURTRON ABC	x
TOUCH HP 50D	+
TOUCH HP 80D	+
TOUCH HP 80	+
TOUCH HP 120	+
TOUCH HP 160	+
TOUCH HP 200	+
TOUCH HP 300	+
TOUCH HP 400	+
TOUCH HP EVAC	x

00402.03



Description	Monopolar Cable M4-EU
Weight	0,06 kg (0,13 lb)
Cable Lenght	3 m (118,11 in)
Sterilization	Autoclavable
Sterilization cycles	100


pcs: 1	
50 D	+
80 D	+
80	+
120	+
160	+
200	+
TOUCH 200	+
FLASH 120	+
FLASH 160 HF	+
FLASH 200	+
300 HP	+
400 HP	+
SURTRON EVAC	x
SURTRON ABC	x
TOUCH HP 50D	+
TOUCH HP 80D	+
TOUCH HP 80	+
TOUCH HP 120	+
TOUCH HP 160	+
TOUCH HP 200	+
TOUCH HP 300	+
TOUCH HP 400	+
TOUCH HP EVAC	x

Description	Monopolar Cable M4-F2+2,8 mm
Weight	0,06 kg (0,13 lb)
Cable Length	3 m (118,11 in)
Sterilization	Autoclavable
Sterilization cycles	100

00402.04



+ 50 D	x	TOUCH 200	x	SURTRON EVAC	x
+ 80 D	x	FLASH 120	x	SURTRON ABC	x
+ 80	x	FLASH 160	x	TOUCH HP 50D	x
+ 120	x	FLASH 200	x	TOUCH HP 80D	x
+ 160	x	300 HP	x	TOUCH HP 80	x
+ 200	x	400 HP	x	TOUCH HP 120	x
+ TOUCH 200	x		x	TOUCH HP 160	x
+ FLASH 120	x		x	TOUCH HP 200	x
+ FLASH 160	x		x	TOUCH HP 300	x
+ FLASH 200	x		x	TOUCH HP 400	x
+ 300 HP	x		x	TOUCH HP EVAC	x
+ 400 HP	x		x		
+ SURTRON EVAC	x		x		
+ SURTRON ABC	x		x		
+ TOUCH HP 50D	x		x		
+ TOUCH HP 80D	x		x		
+ TOUCH HP 80	x		x		
+ TOUCH HP 120	x		x		
+ TOUCH HP 160	x		x		
+ TOUCH HP 200	x		x		
+ TOUCH HP 300	x		x		
+ TOUCH HP 400	x		x		
+ TOUCH HP EVAC	x		x		




Description	Monopolar Cable J6.3-F4
Weight	0,06 kg (0,13 lb)
Cable Length	1,8 m (70,86 in)
Sterilization	NO
Sterilization cycles	NO

00404.02



+ 50 D	1	TOUCH 200	x	SURTRON EVAC	x
+ 80 D	x	FLASH 120	x	SURTRON ABC	x
+ 80	x	FLASH 160	x	TOUCH HP 50D	1
+ 120	x	FLASH 200	x	TOUCH HP 80D	x
+ 160	x	300 HP	x	TOUCH HP 80	x
+ 200	x	400 HP	x	TOUCH HP 120	x
+ TOUCH 200	x		x	TOUCH HP 160	x
+ FLASH 120	x		x	TOUCH HP 200	x
+ FLASH 160	x		x	TOUCH HP 300	x
+ FLASH 200	x		x	TOUCH HP 400	x
+ 300 HP	x		x	TOUCH HP EVAC	x
+ 400 HP	x		x		
+ SURTRON EVAC	x		x		
+ SURTRON ABC	x		x		
+ TOUCH HP 50D	x		x		
+ TOUCH HP 80D	x		x		
+ TOUCH HP 80	x		x		
+ TOUCH HP 120	x		x		
+ TOUCH HP 160	x		x		
+ TOUCH HP 200	x		x		
+ TOUCH HP 300	x		x		
+ TOUCH HP 400	x		x		
+ TOUCH HP EVAC	x		x		



Description	Cable for rod neutral electrode autoclavable
Weight	0,06 kg (0,13 lb)
Cable Length	3 m (118 in)
Unit Connection	4 mm (0,157 in)
Sterilization	Autoclavable
Sterilization cycles	100

00404.04



+ 50 D	x	TOUCH 200	x	SURTRON EVAC	x
+ 80 D	x	FLASH 120	x	SURTRON ABC	x
+ 80	x	FLASH 160 HF	x	TOUCH HP 50D	x
+ 120	x	FLASH 200	x	TOUCH HP 80D	x
+ 160	x	300 HP	x	TOUCH HP 80	x
+ 200	x	400 HP	x	TOUCH HP 120	x
+ TOUCH 200	x		x	TOUCH HP 160	x
+ FLASH 120	x		x	TOUCH HP 200	x
+ FLASH 160 HF	x		x	TOUCH HP 300	x
+ FLASH 200	x		x	TOUCH HP 400	x
+ 300 HP	x		x	TOUCH HP EVAC	x
+ 400 HP	x		x		
+ SURTRON EVAC	x		x		
+ SURTRON ABC	x		x		
+ TOUCH HP 50D	x		x		
+ TOUCH HP 80D	x		x		
+ TOUCH HP 80	x		x		
+ TOUCH HP 120	x		x		
+ TOUCH HP 160	x		x		
+ TOUCH HP 200	x		x		
+ TOUCH HP 300	x		x		
+ TOUCH HP 400	x		x		
+ TOUCH HP EVAC	x		x		




Description	Cable for neutral plate J6.3-MP4 (F7922)
Cable Length	5m (196,85 in)
Compatibility	F7930 F7915


00404.07



+ 50 D	x	TOUCH 200	x	SURTRON EVAC	x
+ 80 D	x	FLASH 120	x	SURTRON ABC	x
+ 80	x	FLASH 160 HF	x	TOUCH HP 50D	x
+ 120	x	FLASH 200	x	TOUCH HP 80D	x
+ 160	x	300 HP	x	TOUCH HP 80	x
+ 200	x	400 HP	x	TOUCH HP 120	x
+ TOUCH 200	x		x	TOUCH HP 160	x
+ FLASH 120	x		x	TOUCH HP 200	x
+ FLASH 160 HF	x		x	TOUCH HP 300	x
+ FLASH 200	x		x	TOUCH HP 400	x
+ 300 HP	x		x	TOUCH HP EVAC	x
+ 400 HP	x		x		
+ SURTRON EVAC	x		x		
+ SURTRON ABC	x		x		
+ TOUCH HP 50D	x		x		
+ TOUCH HP 80D	x		x		
+ TOUCH HP 80	x		x		
+ TOUCH HP 120	x		x		
+ TOUCH HP 160	x		x		
+ TOUCH HP 200	x		x		
+ TOUCH HP 300	x		x		
+ TOUCH HP 400	x		x		
+ TOUCH HP EVAC	x		x		



00404.08_S




Description Cable for neutral electrode disposable type 5365/6429/FLEX
Weight 0,06 kg (0,13 lb)
Cable Lenght 3 m (118,11 in)
Sterilization NO
Sterilization cycles NO
Compatibility 0350, F790, 00401.10, 00401.20, 5365A, 6429A

pcs: 1

+ 50 D	+	80 D	+	120	+	160	+	200	+	TOUCH 200	+	FLASH 120	+	FLASH 160 HF	+	FLASH 200	+	300 HP	+	400 HP	x	SURTRON EVAC	x	SURTRON ABC	+	TOUCH HP 50D	+	TOUCH HP 80D	+	TOUCH HP 80	+	TOUCH HP 120	+	TOUCH HP 160	+	TOUCH HP 200	+	TOUCH HP 300	+	TOUCH HP 400	x	TOUCH HP EVAC
--------	---	------	---	-----	---	-----	---	-----	---	-----------	---	-----------	---	--------------	---	-----------	---	--------	---	--------	---	--------------	---	-------------	---	--------------	---	--------------	---	-------------	---	--------------	---	--------------	---	--------------	---	--------------	---	--------------	---	---------------

00404.09




Description Cable for connection neutral disposable 5365-6429/FLEX FLEX S AUTOCLAVE
Weight 0,06 kg (0,13 lb)
Cable Lenght 3 m (118,11 in)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 0350, F790, 00401.10, 00401.20, 5365A, 6429A

pcs: 1

+ 50 D	+	80 D	+	120	+	160	+	200	+	TOUCH 200	+	FLASH 120	+	FLASH 160 HF	+	FLASH 200	+	300 HP	+	400 HP	x	SURTRON EVAC	x	SURTRON ABC	+	TOUCH HP 50D	+	TOUCH HP 80D	+	TOUCH HP 80	+	TOUCH HP 120	+	TOUCH HP 160	+	TOUCH HP 200	+	TOUCH HP 300	+	TOUCH HP 400	x	TOUCH HP EVAC
--------	---	------	---	-----	---	-----	---	-----	---	-----------	---	-----------	---	--------------	---	-----------	---	--------	---	--------	---	--------------	---	-------------	---	--------------	---	--------------	---	-------------	---	--------------	---	--------------	---	--------------	---	--------------	---	--------------	---	---------------



00404.10




+A  compatible only if you use 00498.06 adapter

Description Cable for neutral plate US type
Weight 0,06 kg (0,13 lb)
Cable Lenght 3 m (169,85 in)
Sterilization NO
Sterilization cycles NO
Compatibility 0350, F790, 00401.10, 00401.20, 5365A, 6429A

pcs: 1

+ 50 D	+	80 D	+	120	+	160	+	200	+	TOUCH 200	+	FLASH 120	+	FLASH 160 HF	+	FLASH 200	+	300 HP	+	400 HP	x	SURTRON EVAC	x	SURTRON ABC	+	TOUCH HP 50D	+	TOUCH HP 80D	+	TOUCH HP 80	+	TOUCH HP 120	+	TOUCH HP 160	+	TOUCH HP 200	+	TOUCH HP 300	+	TOUCH HP 400	x	TOUCH HP EVAC
--------	---	------	---	-----	---	-----	---	-----	---	-----------	---	-----------	---	--------------	---	-----------	---	--------	---	--------	---	--------------	---	-------------	---	--------------	---	--------------	---	-------------	---	--------------	---	--------------	---	--------------	---	--------------	---	--------------	---	---------------

00404.11



+A  compatible only if you use 00498.06 adapter

Description Cable for neutral plate US type AUTOCLAVE
Weight 0,06 kg (0,13 lb)
Cable Lenght 3 m (169,85 in)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 0350, F790, 00401.10, 00401.20, 5365A, 6429A

pcs: 1

+ 50 D	+	80 D	+	120	+	160	+	200	+	TOUCH 200	+	FLASH 120	+	FLASH 160 HF	+	FLASH 200	+	300 HP	+	400 HP	x	SURTRON EVAC	x	SURTRON ABC	+	TOUCH HP 50D	+	TOUCH HP 80D	+	TOUCH HP 80	+	TOUCH HP 120	+	TOUCH HP 160	+	TOUCH HP 200	+	TOUCH HP 300	+	TOUCH HP 400	x	TOUCH HP EVAC
--------	---	------	---	-----	---	-----	---	-----	---	-----------	---	-----------	---	--------------	---	-----------	---	--------	---	--------	---	--------------	---	-------------	---	--------------	---	--------------	---	-------------	---	--------------	---	--------------	---	--------------	---	--------------	---	--------------	---	---------------




Description Bipolar cable EUR
Weight 0,06 kg (0,13 lb)
Cable Length 3 m (118,11 in)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 310 Bipolar Forceps series



50 D x
 80 D x
 80 A +
 120 A +
 160 A +
 200 +
 TOUCH 200 +
 FLASH 120 +
 FLASH 160 HF +
 FLASH 200 +
 300 HP +
 400 HP +
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 A +
 TOUCH HP 120 A +
 TOUCH HP 160 A +
 TOUCH HP 200 +
 TOUCH HP 300 +
 TOUCH HP 400 +
 TOUCH HP EVAC x

00411.00




Description Bipolar cable TWIN
Weight 0,06 kg (0,13 lb)
Cable Length 3 m (118,11 in)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 310 Bipolar Forceps series



50 D x
 80 D x
 80 A +
 120 A +
 160 A +
 200 +
 TOUCH 200 +
 FLASH 120 +
 FLASH 160 HF +
 FLASH 200 +
 300 HP +
 400 HP +
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 A +
 TOUCH HP 120 A +
 TOUCH HP 160 A +
 TOUCH HP 200 +
 TOUCH HP 300 +
 TOUCH HP 400 +
 TOUCH HP EVAC x

00412.00




Description Artery Sealer Bipolar cable
Weight 0,06 kg (0,13 lb)
Cable Length 3 m (118,11 in)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 110-750NS, 110-755NS, 110-760NS,



50 D x
 80 D x
 80 A +
 120 A +
 160 A +
 200 +
 TOUCH 200 +
 FLASH 120 +
 FLASH 160 HF +
 FLASH 200 +
 300 HP +
 400 HP +
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 A +
 TOUCH HP 120 A +
 TOUCH HP 160 A +
 TOUCH HP 200 +
 TOUCH HP 300 +
 TOUCH HP 400 +
 TOUCH HP EVAC x

00413.00





Description Bipolar cable US 3m
Weight 0,60 g (0,13 lb)
Cable Length 3 m (118,11 in)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 110-700




50 D x
 80 D x
 80 A +
 120 A +
 160 A +
 200 +
 TOUCH 200 +
 FLASH 120 +
 FLASH 160 HF +
 FLASH 200 +
 300 HP +
 400 HP +
 SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 A +
 TOUCH HP 120 A +
 TOUCH HP 160 A +
 TOUCH HP 200 +
 TOUCH HP 300 +
 TOUCH HP 400 +
 TOUCH HP EVAC x

00414.00



00415.00



+A



compatible only if you use 00498.00 adapter

Description

Weight

Cable Length

Sterilization

Sterilization cycles



pcs: 1

Bipolar cable ENDO (MP3 - F3)

0,06 kg (0,13 lb)


3 m (118,11 in)

Autoclavable

100

50 D
x x 80 D
A + 80
A + 120
A + 160
A + 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
+ TOUCH HP 80
A + TOUCH HP 120
A + TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

00416.00



+A



compatible only if you use 00498.00 adapter

Description

Weight

Cable Length

Sterilization

Sterilization cycles



pcs: 1

Bipolar cable ENDO (MP2 - F2,4)

0,06 kg (0,13 lb)


3 m (118,11 in)

Autoclavable

100

50 D
x x 80 D
A + 80
A + 120
A + 160
A + 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
+ TOUCH HP 80
A + TOUCH HP 120
A + TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

00417.00



+A



compatible only if you use 00498.00 adapter

Description

Weight

Cable Length

Sterilization

Sterilization cycles



pcs: 1

Bipolar cable ENDO3 (MP2-F4)

0,06 kg (0,13 lb)


3 m (118,11 in)

Autoclavable

100

50 D
x x 80 D
A + 80
A + 120
A + 160
A + 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
+ TOUCH HP 80
A + TOUCH HP 120
A + TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

00418.00



+A



compatible only if you use 00498.00 adapter

Description

Weight

Cable Length

Sterilization

Sterilization cycles



pcs: 1

Bipolar cable ENDO3 (2xM4 2xF2,4)

0,06 kg (0,13 lb)

3 m (118,11 in)

Autoclavable



100

50 D
x x 80 D
A + 80
A + 120
A + 160
A + 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
+ TOUCH HP 80
A + TOUCH HP 120
A + TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC



ELEC TRODE

00500.00



Description Kit of assorted electrode length 5 cm (10pcs)

SINGLE ITEM

500500.L1: Straight thin wire electrode (5pcs)

500500.L3: Loop electrode $\varnothing 4$ mm (5pcs)

500500.L4: Loop electrode $\varnothing 6$ mm (5pcs)

500500.L7: Drop electrode length (5pcs)

500500.L8: Noose electrode length (5pcs)

500500.L9: Straight ball electrode $\varnothing 3$ mm (5pcs)

500500.L2: Bent thin wire electrode (5pcs)

500500.L5: Drop electrode length (5pcs)

500500.L6: Bent thick wire electrode (5pcs)

500500.L10: Bent ball electrode $\varnothing 3$ mm (5pcs)



Compatibility 00205.00, 00206.00, 755VL

50 D	TOUCH 200	SURTRON EVAC
80 D	FLASH 120	SURTRON ABC
80	FLASH 160 HF	TOUCH HP 50D
120	FLASH 200	TOUCH HP 80D
160	300 HP	TOUCH HP 80
200	400 HP	TOUCH HP 120
TOUCH 200		TOUCH HP 160
FLASH 120		TOUCH HP 200
FLASH 160 HF		TOUCH HP 300
FLASH 200		TOUCH HP 400
300 HP		TOUCH HP EVAC
400 HP		
SURTRON EVAC		
SURTRON ABC		
TOUCH HP 50D		
TOUCH HP 80D		
TOUCH HP 80		
TOUCH HP 120		
TOUCH HP 160		
TOUCH HP 200		
TOUCH HP 300		
TOUCH HP 400		
TOUCH HP EVAC		



kit 00500.00: assorted pcs 10
from 00500.L1 to 00500. L10

152 Short



Description

152-110 Blade Electrode 7 cm

152-120 Needle Electrode 7 cm

152-150 Ball Electrode $\varnothing 4$ mm 6 cm

50 D	TOUCH 200	SURTRON EVAC
80 D	FLASH 120	SURTRON ABC
80	FLASH 160 HF	TOUCH HP 50D
120	FLASH 200	TOUCH HP 80D
160	300 HP	TOUCH HP 80
200	400 HP	TOUCH HP 120
TOUCH 200		TOUCH HP 160
FLASH 120		TOUCH HP 200
FLASH 160 HF		TOUCH HP 300
FLASH 200		TOUCH HP 400
300 HP		TOUCH HP EVAC
400 HP		
SURTRON EVAC		
SURTRON ABC		
TOUCH HP 50D		
TOUCH HP 80D		
TOUCH HP 80		
TOUCH HP 120		
TOUCH HP 160		
TOUCH HP 200		
TOUCH HP 300		
TOUCH HP 400		
TOUCH HP EVAC		

152-112 Blade Curved Electrode 7 cm

152-122 Needle Electrode 7 cm

152-130 Ball Electrode $\varnothing 2$ mm 6 cm

152-132 Ball Curved Electrode $\varnothing 2$ mm 5 cm

152-140 Ball Electrode $\varnothing 3$ mm 6 cm

152-142 Ball Curved Electrode $\varnothing 3$ mm 6 cm

50 D	TOUCH 200	SURTRON EVAC
80 D	FLASH 120	SURTRON ABC
80	FLASH 160 HF	TOUCH HP 50D
120	FLASH 200	TOUCH HP 80D
160	300 HP	TOUCH HP 80
200	400 HP	TOUCH HP 120
TOUCH 200		TOUCH HP 160
FLASH 120		TOUCH HP 200
FLASH 160 HF		TOUCH HP 300
FLASH 200		TOUCH HP 400
300 HP		TOUCH HP EVAC
400 HP		
SURTRON EVAC		
SURTRON ABC		
TOUCH HP 50D		
TOUCH HP 80D		
TOUCH HP 80		
TOUCH HP 120		
TOUCH HP 160		
TOUCH HP 200		
TOUCH HP 300		
TOUCH HP 400		
TOUCH HP EVAC		

152-152 Ball Curved Electrode $\varnothing 4$ mm 6 cm

50 D	TOUCH 200	SURTRON EVAC
80 D	FLASH 120	SURTRON ABC
80	FLASH 160 HF	TOUCH HP 50D
120	FLASH 200	TOUCH HP 80D
160	300 HP	TOUCH HP 80
200	400 HP	TOUCH HP 120
TOUCH 200		TOUCH HP 160
FLASH 120		TOUCH HP 200
FLASH 160 HF		TOUCH HP 300
FLASH 200		TOUCH HP 400
300 HP		TOUCH HP EVAC
400 HP		
SURTRON EVAC		
SURTRON ABC		
TOUCH HP 50D		
TOUCH HP 80D		
TOUCH HP 80		
TOUCH HP 120		
TOUCH HP 160		
TOUCH HP 200		
TOUCH HP 300		
TOUCH HP 400		
TOUCH HP EVAC		

152-160 Ball Electrode $\varnothing 5$ mm 6 cm

152-162 Ball Curved Electrode $\varnothing 5$ mm 6 cm

50 D	TOUCH 200	SURTRON EVAC
80 D	FLASH 120	SURTRON ABC
80	FLASH 160 HF	TOUCH HP 50D
120	FLASH 200	TOUCH HP 80D
160	300 HP	TOUCH HP 80
200	400 HP	TOUCH HP 120
TOUCH 200		TOUCH HP 160
FLASH 120		TOUCH HP 200
FLASH 160 HF		TOUCH HP 300
FLASH 200		TOUCH HP 400
300 HP		TOUCH HP EVAC
400 HP		
SURTRON EVAC		
SURTRON ABC		
TOUCH HP 50D		
TOUCH HP 80D		
TOUCH HP 80		
TOUCH HP 120		
TOUCH HP 160		
TOUCH HP 200		
TOUCH HP 300		
TOUCH HP 400		
TOUCH HP EVAC		

Compatibility 00205.00, 00206.00, 755VL

Description Kit of assorted electrode length 10 cm (10pcs)

SINGLE ITEM

500500.L1/L: Straight thin wire electrode length (5pcs)

500500.L3/L: Loop electrode $\varnothing 4$ mm length (5pcs)

500500.L4/L: Loop electrode $\varnothing 6$ mm (5pcs)

500500.L7/L: Drop electrode length (5pcs)

500500.L8/L: Noose electrode length (5pcs)

500500.L9/L: Straight ball electrode $\varnothing 3$ mm (5pcs)

500500.L2/L: Bent thin wire electrode (5pcs)

500500.L5/L: Bent hook electrode (5pcs)

500500.L6/L: Bent thick wire electrode (5pcs)

500500.L10/L: Bent ball electrode $\varnothing 3$ mm (5pcs)


Compatibility 00205.00, 00206.00, 755VL

+ 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160
+ FLASH 200
x 300 HP
x 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
x TOUCH HP 300
x TOUCH HP 400
x TOUCH HP EVAC



kit 00500.00/L: assorted pcs 10
from 00500.L1/L to 00500.L10/L

00500.00/L



Description

152-115 Blade Electrode 16 cm

+ 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160
+ FLASH 200
x 300 HP
x 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
x TOUCH HP 300
x TOUCH HP 400
x TOUCH HP EVAC

152-125 Needle Electrode 13 cm

152-145 Ball Electrode $\varnothing 3$ mm 13 cm

152-175-10 Loop Electrode 10x10mm I.14 cm

152-190-13 Loop Electrode 20x13mm I.14 cm

152-190-20 Loop Electrode 20x20mm I.15 cm

152-195 Conization Electrode 13 cm

+ 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160
+ FLASH 200
x 300 HP
x 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

152-165 Ball Electrode $\varnothing 5$ mm 14 cm


+ 50 D
+ 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160
+ FLASH 200
x 300 HP
x 400 HP
x SURTRON EVAC
x SURTRON ABC
+ TOUCH HP 50D
+ TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC



pcs: 1

Compatibility 00205.00, 00206.00, 755VL

152 Long



00420.10



7,5 cm



Description Argon coagulation electrode 75mm
Weight 0,075 kg (0,16 lb)
Size 7,5 cm (2,9 in)
Sterilization Autoclavable
Sterilisation cycles 30

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 x
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP x
400 HP x
SURTRON EVAC x
SURTRON ABC +
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 x
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x



pcs: 1

00420.12



15 cm



Description Argon coagulation electrode 150mm
Weight 0,15 kg (0,33 lb)
Size 15 cm (5,9 in)
Sterilization Autoclavable
Sterilisation cycles 30

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 x
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP x
400 HP x
SURTRON EVAC x
SURTRON ABC 1
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 x
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x



pcs: 1

00420.14



37 cm



Description Argon coagulation electrode 370mm
Weight 0,30 kg (0,66 lb)
Size 37 cm (14,5 in)
Sterilization Autoclavable
Sterilisation cycles 30

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 x
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP x
400 HP x
SURTRON EVAC x
SURTRON ABC +
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 x
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x




pcs: 1

Description Needles for micro-surgery length 1cm
Weight 0,002 kg (0,004 lb)
Size 12x0,05x0,8 mm (0,47x0,002x0,03 in)
Sterilization STERILE
Sterilisation cycles NO

500500.L11

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- FLASH 120
- FLASH 160 HF
- 1 FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC



STERILE EO

Description Electrodes and handle support
Size 8x8x5 cm (3,14x3,14x1,96 in)
Weight 0,02 kg (0,04 lb)
Color RAL7035 (Light Gray)

00202.00

- 1 50 D
- 1 80 D
- 1 80
- 1 120
- 1 160
- 1 200
- 1 TOUCH 200
- FLASH 120
- FLASH 160 HF
- 1 FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC



Description Electrodes and handle support
Size 8x8x5 cm (3,14x3,14x1,96 in)
Weight 0,02 kg (0,04 lb)
Color RAL9005 (Intense Black)

00202.00-9005

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- 1 TOUCH HP 50D
- 1 TOUCH HP 80D
- 1 TOUCH HP 80
- 1 TOUCH HP 120
- 1 TOUCH HP 160
- x TOUCH HP 200
- x TOUCH HP 300
- x TOUCH HP 400
- x TOUCH HP EVAC





ADAP TERS

Description Bipolar adapter
Weight 0,03 kg (0,06 lb)
Size 4,5x1,5x7,5 cm (1,8x0,6x3 in)
Sterilization NO
Sterilization cycles NO
Compatibility 00414.00, 00418.00

x	50 D	x	TOUCH 200	x	SURTRON EVAC
x	80 D	x	FLASH 120	x	SURTRON ABC
+	80	x	FLASH 160 HF	x	TOUCH HP 50D
+	120	x	FLASH 200	x	TOUCH HP 80D
+	160	x	300 HP	+	TOUCH HP 80
x	200	x	400 HP	+	TOUCH HP 120
x	TOUCH 200	x	SURTRON EVAC	+	TOUCH HP 160
x	FLASH 120	x	SURTRON ABC	x	TOUCH HP 200
x	FLASH 160 HF	x	TOUCH HP 50D	x	TOUCH HP 300
x	FLASH 200	x	TOUCH HP 80D	x	TOUCH HP 400
x	300 HP	x	TOUCH HP 80	x	TOUCH HP EVAC
x	400 HP	x	TOUCH HP 120		

00498.00



Description 2001 bipolar adapter selector (until 2009)
Weight 0,03 kg (0,06 lb)
Size 3x3x8,5 cm (1,2x1,2x3 in)
Sterilization NO
Sterilization cycles NO
Compatibility 00412.00

x	50 D	x	TOUCH 200	x	SURTRON EVAC
x	80 D	x	FLASH 120	x	SURTRON ABC
+	80	+	FLASH 160 HF	x	TOUCH HP 50D
+	120	+	FLASH 200	x	TOUCH HP 80D
+	160	x	300 HP	x	TOUCH HP 80
+	200	x	400 HP	x	TOUCH HP 120
x	TOUCH 200	x	SURTRON EVAC	x	TOUCH HP 160
x	FLASH 120	x	SURTRON ABC	x	TOUCH HP 200
+	FLASH 160 HF	x	TOUCH HP 50D	x	TOUCH HP 300
+	FLASH 200	x	TOUCH HP 80D	x	TOUCH HP 400
x	300 HP	x	TOUCH HP 80	x	TOUCH HP EVAC
x	400 HP	x	TOUCH HP 120		

00498.04



Description Adapter for neutral electrode 6,3mm/Valley
Weight 0,015kg (0,03lb)
Size 2,2x2,2x7,2 cm (0,86x0,86x2,8 in)
Sterilization NO
Sterilization cycles NO
Compatibility 00404.10, 00404.11

+	50 D	+	TOUCH 200	+	SURTRON EVAC
+	80 D	+	FLASH 120	x	SURTRON ABC
+	80	+	FLASH 160 HF	+	TOUCH HP 50D
+	120	+	FLASH 200	+	TOUCH HP 80D
+	160	+	300 HP	+	TOUCH HP 80
+	200	+	400 HP	+	TOUCH HP 120
x	TOUCH 200	x	SURTRON EVAC	+	TOUCH HP 160
+	FLASH 120	x	SURTRON ABC	+	TOUCH HP 200
+	FLASH 160 HF	+	TOUCH HP 50D	+	TOUCH HP 300
+	FLASH 200	+	TOUCH HP 80D	+	TOUCH HP 400
+	300 HP	+	TOUCH HP 80	x	TOUCH HP EVAC
+	400 HP	+	TOUCH HP 120		

00498.06



Description Bipolar adapter EUR/2xM2,5
Weight 0,015 kg (0,03 lb)
Size 2,2x2,2x7,2 cm (0,86x0,86x2,8 in)
Sterilization NO
Sterilization cycles NO

x	50 D	x	TOUCH 200	x	SURTRON EVAC
x	80 D	x	FLASH 120	x	SURTRON ABC
+	80	+	FLASH 160 HF	+	TOUCH HP 50D
+	120	+	FLASH 200	+	TOUCH HP 80D
+	160	+	300 HP	+	TOUCH HP 80
+	200	+	400 HP	+	TOUCH HP 120
x	TOUCH 200	x	SURTRON EVAC	+	TOUCH HP 160
+	FLASH 120	x	SURTRON ABC	+	TOUCH HP 200
+	FLASH 160 HF	+	TOUCH HP 50D	+	TOUCH HP 300
+	FLASH 200	+	TOUCH HP 80D	+	TOUCH HP 400
+	300 HP	+	TOUCH HP 80	x	TOUCH HP EVAC
+	400 HP	+	TOUCH HP 120		

00498.08



Description Bipolar adapter EUR/3xM4
Weight 0,015 kg (0,03 lb)
Size 2,2x2,2x7,2 cm (0,86x0,86x2,8 in)
Sterilization NO
Sterilization cycles NO

x	50 D	x	TOUCH 200	x	SURTRON EVAC
x	80 D	x	FLASH 120	x	SURTRON ABC
+	80	+	FLASH 160 HF	+	TOUCH HP 50D
+	120	+	FLASH 200	+	TOUCH HP 80D
+	160	+	300 HP	+	TOUCH HP 80
+	200	+	400 HP	+	TOUCH HP 120
x	TOUCH 200	x	SURTRON EVAC	+	TOUCH HP 160
+	FLASH 120	x	SURTRON ABC	+	TOUCH HP 200
+	FLASH 160 HF	+	TOUCH HP 50D	+	TOUCH HP 300
+	FLASH 200	+	TOUCH HP 80D	+	TOUCH HP 400
+	300 HP	+	TOUCH HP 80	x	TOUCH HP EVAC
+	400 HP	+	TOUCH HP 120		

00498.10



**BI
PO
LAR**

**MO
NO
PO
LAR**



Description US Bi-Turbinate Electrode
Size 18,5x2x2 cm (7,3x0,78x78 in)
Weight 0,07 kg (0,154 lb)
Tip Thickness 0.8 mm (0,0314 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00414.00



pcs: 1

50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 + TOUCH 200 x
 + FLASH 120 x
 + FLASH 160 HF x
 + FLASH 200 x
 + 300 HP x
 + 400 HP x
 + SURTRON EVAC x
 + SURTRON ABC x
 + TOUCH HP 50D x
 + TOUCH HP 80D x
 + TOUCH HP 80 x
 + TOUCH HP 120 x
 + TOUCH HP 160 x
 + TOUCH HP 200 x
 + TOUCH HP 300 x
 + TOUCH HP 400 x
 + TOUCH HP EVAC x

110-700



Description Bipolar Forceps Artery Sealer
Size 27 cm (10,62 in)
Weight 0,1 kg (0,22 lb)
Sterilization Autoclavable
Sterilization cycles 30
Tip thickness 3 mm
Compatibility 00413.00



pcs: 1

50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 + TOUCH 200 x
 + FLASH 120 x
 + FLASH 160 HF x
 + FLASH 200 x
 + 300 HP x
 + 400 HP x
 + SURTRON EVAC x
 + SURTRON ABC x
 + TOUCH HP 50D x
 + TOUCH HP 80D x
 + TOUCH HP 80 x
 + TOUCH HP 120 x
 + TOUCH HP 160 x
 + TOUCH HP 200 x
 + TOUCH HP 300 x
 + TOUCH HP 400 x
 + TOUCH HP EVAC x

110-750NS



27 cm



Tip Shape



Description Bipolar Forceps Artery Sealer
Size 25,5 cm (10 in)
Sterilization Autoclavable
Sterilization cycles 30
Tip thickness 3mm
Compatibility 00413.00



pcs: 1

50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 + TOUCH 200 x
 + FLASH 120 x
 + FLASH 160 HF x
 + FLASH 200 x
 + 300 HP x
 + 400 HP x
 + SURTRON EVAC x
 + SURTRON ABC x
 + TOUCH HP 50D x
 + TOUCH HP 80D x
 + TOUCH HP 80 x
 + TOUCH HP 120 x
 + TOUCH HP 160 x
 + TOUCH HP 200 x
 + TOUCH HP 300 x
 + TOUCH HP 400 x
 + TOUCH HP EVAC x

110-755NS



25,5 cm



Tip Shape



Description Bipolar Forceps Artery Sealer
Size 17 cm (6,7in)
Sterilization Autoclavable
Sterilization cycles 30
Tip thickness 2 mm
Compatibility 00413.00



pcs: 1

50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 + TOUCH 200 x
 + FLASH 120 x
 + FLASH 160 HF x
 + FLASH 200 x
 + 300 HP x
 + 400 HP x
 + SURTRON EVAC x
 + SURTRON ABC x
 + TOUCH HP 50D x
 + TOUCH HP 80D x
 + TOUCH HP 80 x
 + TOUCH HP 120 x
 + TOUCH HP 160 x
 + TOUCH HP 200 x
 + TOUCH HP 300 x
 + TOUCH HP 400 x
 + TOUCH HP EVAC x

110-760NS



17 cm



Tip Shape



310-110-05



11,5 cm



Tip Shape



Description Bipolar Forceps 11,5cm
Weight 0,03 kg (0,6lb)
Length 11,5 cm (4,52 in)
Tip thickness 0,5 mm (0,019in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D x
80 D x
80 +
120 +
160 +
200 +
TOUCH 200 +
FLASH 120 +
FLASH 160 HF +
FLASH 200 +
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 +
TOUCH HP 120 +
TOUCH HP 160 +
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

310-112-05



11,5 mm



Tip Shape



Description Curved Bipolar Forceps
Weight 0,03 kg (0,6lb)
Length 11,5 cm (4,52 in)
Tip thickness 0,5 mm (0,019in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D x
80 D x
80 +
120 +
160 +
200 +
TOUCH 200 +
FLASH 120 +
FLASH 160 HF +
FLASH 200 +
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 +
TOUCH HP 120 +
TOUCH HP 160 +
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

310-140-10



20 cm



Tip Shape



Description Bipolar Forceps
Weight 0,03 kg (0,6lb)
Length 20 cm (7,87in)
Tip thickness 1 mm (0,039in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D x
80 D x
80 +
120 +
160 +
200 +
TOUCH 200 +
FLASH 120 +
FLASH 160 HF +
FLASH 200 +
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 +
TOUCH HP 120 +
TOUCH HP 160 +
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

310-140-20



20 cm



Tip Shape



Description Bipolar Forceps
Weight 0,03 kg (0,6lb)
Length 20 cm (7,87 in)
Tip thickness 2 mm (0,078 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D x
80 D x
80 +
120 +
160 +
200 +
TOUCH 200 +
FLASH 120 +
FLASH 160 HF +
FLASH 200 +
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 +
TOUCH HP 120 +
TOUCH HP 160 +
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

Description Curved Bipolar Forceps
Weight 0,03Kg (0,6lb)
Length 20 cm (7,87 in)
Tip thickness 1 mm (0,039 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

x 50 D
x 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
x TOUCH HP 200
x TOUCH HP 300
x TOUCH HP 400
x TOUCH HP EVAC



20 cm



Tip Shape



Description Curved Bipolar Forceps
Weight 0,03 Kg (0,6 lb)
Length 20 cm (7,87 in)
Tip thickness 2 mm (0,078 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

x 50 D
x 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
x TOUCH HP 200
x TOUCH HP 300
x TOUCH HP 400
x TOUCH HP EVAC



20 cm



Tip Shape



Description Angled Bipolar Forceps
Weight 0,03 kg (0,6 lb)
Length 20 cm (7,87in)
Tip thickness 1 mm (0,11 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

x 50 D
x 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
x TOUCH HP 200
x TOUCH HP 300
x TOUCH HP 400
x TOUCH HP EVAC



20 cm



Tip Shape



Description Angled Bipolar Forceps
Weight 0,03 kg (0,6 lb)
Length 20 cm (0,07 in)
Tip thickness 2 mm (0,07 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

x 50 D
x 80 D
+ 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
x TOUCH HP 200
x TOUCH HP 300
x TOUCH HP 400
x TOUCH HP EVAC



20 cm



Tip Shape




310-142-10

310-142-20

310-180-10

310-180-20

310-182-10




Description Angled Curved Bipolar Forceps
Weight 0,03 kg (0,6 lb)
Length 20 cm (7,87 lb)
Tip thickness 1 mm (0,039 in)
Sterilization Autoclavable
Sterilisation cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D
x x
80 D
+
80
+
120
+
160
+
200
+
TOUCH 200
+
FLASH 120
+
FLASH 160 HF
+
FLASH 200
+
300 HP
+
400 HP
x
SURTRON EVAC
x
SURTRON ABC
x
TOUCH HP 50D
x
TOUCH HP 80D
+
TOUCH HP 80
+
TOUCH HP 120
+
TOUCH HP 160
+
TOUCH HP 200
+
TOUCH HP 300
+
TOUCH HP 400
x
TOUCH HP EVAC

310-185-10




Description Angled Curved Bipolar Forceps
Weight 0,03 kg (0,6lb)
Length 20 cm (7,87 lb)
Tip thickness 1 mm (0,039in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00




pcs: 1

50 D
x x
80 D
+
80
+
120
+
160
+
200
+
TOUCH 200
+
FLASH 120
+
FLASH 160 HF
+
FLASH 200
+
300 HP
+
400 HP
x
SURTRON EVAC
x
SURTRON ABC
x
TOUCH HP 50D
x
TOUCH HP 80D
+
TOUCH HP 80
+
TOUCH HP 120
+
TOUCH HP 160
+
TOUCH HP 200
+
TOUCH HP 300
+
TOUCH HP 400
x
TOUCH HP EVAC

310-510



Tip dimension




Description Bipolar Electrode
Weight 0,03 kg (0,6 lb)
Length 20 cm (7,87 lb)
Tip thickness 0,7 mm (0,0275 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D
x x
80 D
+
80
+
120
+
160
+
200
+
TOUCH 200
+
FLASH 120
+
FLASH 160 HF
+
FLASH 200
+
300 HP
+
400 HP
x
SURTRON EVAC
x
SURTRON ABC
x
TOUCH HP 50D
x
TOUCH HP 80D
+
TOUCH HP 80
+
TOUCH HP 120
+
TOUCH HP 160
+
TOUCH HP 200
+
TOUCH HP 300
+
TOUCH HP 400
x
TOUCH HP EVAC

310-550



Tip dimension



Description Bipolar Electrode
Weight 0,03 kg (0,06lb)
Length 20 cm (7,87lb)
Tip thickness 0,7 mm (0,0275 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00411.00, 00412.00



pcs: 1

50 D
x x
80 D
+
80
+
120
+
160
+
200
+
TOUCH 200
+
FLASH 120
+
FLASH 160 HF
+
FLASH 200
+
300 HP
+
400 HP
x
SURTRON EVAC
x
SURTRON ABC
x
TOUCH HP 50D
x
TOUCH HP 80D
+
TOUCH HP 80
+
TOUCH HP 120
+
TOUCH HP 160
+
TOUCH HP 200
+
TOUCH HP 300
+
TOUCH HP 400
x
TOUCH HP EVAC


Description Bipolar Scissors 20 cm - curved 2
Weight 0,03 Kg (0,6 lb)
Length 18 cm (7 lb)
Tip thickness 0,7 mm (0,0275 in)
Sterilization Autoclavable
Sterilisation cycles 30
Compatibility 00411.00, 00412.00




pcs: 1

x 50 D
x 80 D
x 80
+ 120
+ 160
+ 200
+ TOUCH 200
+ FLASH 120
+ FLASH 160 HF
+ FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
+ TOUCH HP 80
+ TOUCH HP 120
+ TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

310-590



Tip dimension



Tip Shape



Description Bipolar Clamp Scissors
Weight 0,05 kg (0,1 lb)
Length 15 cm (5,9 lb)
Tip thickness 0,5 mm (0,02 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00418.00



pcs: 1

x 50 D
x 80 D
x 80
x 120
x 160
x 200
+ TOUCH 200
x FLASH 120
x FLASH 160 HF
x FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

410-100-15



15 cm

Tip Shape



Description Bipolar Clamp Scissors
Weight 0,05 kg (0,1 lb)
Length 19 cm (7,5 lb)
Tip thickness 0,5 mm (0,02 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00418.00



pcs: 1

x 50 D
x 80 D
x 80
x 120
x 160
x 200
+ TOUCH 200
x FLASH 120
x FLASH 160 HF
x FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

410-100-19



19 cm

Tip Shape



Description Bipolar Scissors
Weight 0,05 kg (0,11 lb)
Length 18 cm (7,0 lb)
Tip thickness 2 mm (0,078 in)
Sterilization Autoclavable
Sterilization cycles 30
Compatibility 00418.00



pcs: 1

x 50 D
x 80 D
x 80
x 120
x 160
x 200
+ TOUCH 200
x FLASH 120
x FLASH 160 HF
x FLASH 200
+ 300 HP
+ 400 HP
x SURTRON EVAC
x SURTRON ABC
x TOUCH HP 50D
x TOUCH HP 80D
x TOUCH HP 80
x TOUCH HP 120
x TOUCH HP 160
+ TOUCH HP 200
+ TOUCH HP 300
+ TOUCH HP 400
x TOUCH HP EVAC

410-200-18




18 cm

Tip Shape



410-200-21



21 cm



Tip Shape

Description Bipolar Scissors
Weight 0,05 kg (0,11 lb)
Length 21 cm (7,0 lb)
Tip thickness 2 mm (0,078 in)
Sterilization Autoclavable
Sterilisation cycles 30
Compatibility 00418.00



pcs: 1

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 +
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

410-200-23



23 cm



Tip Shape


Description Bipolar Scissors
Weight 0,05 kg (0,11 lb)
Length 23 cm (7,0 lb)
Tip thickness 2 mm (0,078 in)
Sterilization Autoclavable
Sterilisation cycles 30
Compatibility 00418.00



pcs: 1

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 +
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

330-160



18 cm



Tip Shape

Description Monopolar Scissors 21cm
Weight 0,05Kg (0,11lb)
Length 18 cm (7,0 lb)
Cutter length 45 mm (1,7 in)
Sterilization Autoclavable
Sterilisation cycles 30
Compatibility 00402.02



pcs: 1

50 D x
80 D x
80 +
120 +
160 +
200 +
TOUCH 200 +
FLASH 120 +
FLASH 160 HF +
FLASH 200 +
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 +
TOUCH HP 120 +
TOUCH HP 160 +
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x

330-134-20



21 cm



Tip Shape

Description Monopolar Surgical Forceps
Weight 0,05 kg (0,11 lb)
Length 21 cm (8,2 lb)
Tip thickness 2 mm (0,078 in)
Sterilization Autoclavable
Sterilisation cycles 30
Compatibility 00402.02



pcs: 1

50 D +
80 D +
80 +
120 +
160 +
200 +
TOUCH 200 +
FLASH 120 +
FLASH 160 HF +
FLASH 200 +
300 HP +
400 HP +
SURTRON EVAC x
SURTRON ABC x
TOUCH HP 50D +
TOUCH HP 80D +
TOUCH HP 80 +
TOUCH HP 120 +
TOUCH HP 160 +
TOUCH HP 200 +
TOUCH HP 300 +
TOUCH HP 400 +
TOUCH HP EVAC x



EVA CUA TION KIT

00900.01/12



Description Handle evacuation kit for surgical smoke evacuato
Pipe Diameter ø22 cm (3,93 in)
Pipe Lenght 150 cm (7,2 in)
Weight 0,05 kg (0,11 lb)
Sterilization NO



pcs: 12

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 x
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP x
400 HP x
+ SURTRON EVAC
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 x
TOUCH HP 300 x
TOUCH HP 400 x
+ TOUCH HP EVAC

00900.02/06



Description Evacuation kit for surgical smoke evacuator
Pipe Diameter ø22 cm (0,86 in)
Pipe Lenght 240 cm (94,48 in)
Weight 0,05 kg (0,11 lb)
Sterilization NO
Compatibility 00900.01/12, 00900.05, 00900.07, 00900.08/12,



pcs: 6

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 x
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP x
400 HP x
+ SURTRON EVAC
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 x
TOUCH HP 300 x
TOUCH HP 400 x
+ TOUCH HP EVAC

00900.04



Description Autoclavable evacuation tube D.22
Pipe Diameter ø7 mm (0,27 in)
Pipe Lenght 240 cm (94,5 in)
Weight 0,05 kg (0,11 lb)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 00900.01/12, 00900.05, 00900.06/06, 00900.07, 00900.08/12



pcs: 1

50 D x
80 D x
80 x
120 x
160 x
200 x
TOUCH 200 x
FLASH 120 x
FLASH 160 HF x
FLASH 200 x
300 HP x
400 HP x
+ SURTRON EVAC
SURTRON ABC x
TOUCH HP 50D x
TOUCH HP 80D x
TOUCH HP 80 x
TOUCH HP 120 x
TOUCH HP 160 x
TOUCH HP 200 x
TOUCH HP 300 x
TOUCH HP 400 x
+ TOUCH HP EVAC



Description Autoclavable evacuation tube D.22
Pipe Diameter ø7 mm (0,27 in)
Pipe Length 150 cm (59,05 in)
Weight 0,05 kg (0,11lb)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 00900.02, 00900.04



50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 TOUCH 200 x
 FLASH 120 x
 FLASH 160 HF x
 FLASH 200 x
 300 HP x
 400 HP x
 + SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 x
 TOUCH HP 120 x
 TOUCH HP 160 x
 TOUCH HP 200 x
 TOUCH HP 300 x
 TOUCH HP 400 x
 + TOUCH HP EVAC x

00900.05



Description Bacterial/Viral Filter D.22
Pipe Diameter ø22 mm (0,867 in)
Connection Diameter ø15 mm (0,59 in)
Sterilization NO
Compatibility 00900.04, 00900.02/06, 00900.FU01/10



50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 TOUCH 200 x
 FLASH 120 x
 FLASH 160 HF x
 FLASH 200 x
 300 HP x
 400 HP x
 + SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 x
 TOUCH HP 120 x
 TOUCH HP 160 x
 TOUCH HP 200 x
 TOUCH HP 300 x
 TOUCH HP 400 x
 + TOUCH HP EVAC x

00900.06/06



Description Autoclavable handle evacuation kit
Pipe Diameter ø22 cm (0,86 in)
Pipe Length 150 cm (59 in)
Weight 0,05 kg (0,11 lb)
Sterilization Autoclavable
Sterilization cycles 100
Compatibility 755VL, 00205.00/40, 00206.00/40 00900.02/06, 00900.04



50 D x
 80 D x
 80 x
 120 x
 160 x
 200 x
 TOUCH 200 x
 FLASH 120 x
 FLASH 160 HF x
 FLASH 200 x
 300 HP x
 400 HP x
 + SURTRON EVAC x
 SURTRON ABC x
 TOUCH HP 50D x
 TOUCH HP 80D x
 TOUCH HP 80 x
 TOUCH HP 120 x
 TOUCH HP 160 x
 TOUCH HP 200 x
 TOUCH HP 300 x
 TOUCH HP 400 x
 + TOUCH HP EVAC x

00900.07



00900.08/12



Description
Pipe Diameter
Pipe Length
Weight
Sterilization
Compatibility

Evacuation kit for TROCAR Luer Lock
 ø22 mm (0,86 in)
 240 cm (94,48 in)
 0,05 kg (0,11 lb)
 NO
 00900.02, 00900.04



pcs: 12

00900.FU01/10*



Description

ULPA Filter for SURTRON EVAC - red

Filter Diameter

22 mm 7/8" (0,867 in)

Particles diameter

0,12 micron

Filter Type

ULPA with active carbon

Filter efficiency

99,999X %

Filter duration

00900.FST/10: 5 hours

Filter duration

00900.FU01/10: 20 hours




pcs: 12



TROLLEY

TR003




Description	Trolley 3 shelvees
Size WxHxD	80x46x46 cm (31x18,1x18,1 in)
Weight	18 kg (34,47 lb)
Shelf size	40x36 cm (15,74x14,17 in)
Color	RAL7035 (Light Grey)
Frame Material	Trolley made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type	80 mm wheels diameter, anterior wheels whit block system.

+ 50 D	+ TOUCH 200	+ SURTRON EVAC
+ 80 D	+ FLASH 120	+ SURTRON ABC
+ 80	+ FLASH 160 HF	+ TOUCH HP 50D
+ 120	+ FLASH 200	+ TOUCH HP 80D
+ 160	+ 300 HP	+ TOUCH HP 80
+ 200	+ 400 HP	+ TOUCH HP 120
+ TOUCH 200	+ SURTRON EVAC	+ TOUCH HP 160
+ FLASH 120	+ SURTRON ABC	+ TOUCH HP 200
+ FLASH 160 HF	+ TOUCH HP 50D	+ TOUCH HP 300
+ FLASH 200	+ TOUCH HP 80D	+ TOUCH HP 400
+ 300 HP	+ TOUCH HP 80	+ TOUCH HP EVAC
+ 400 HP	+ TOUCH HP 120	



pcs: 1

TR003W



Description	Trolley 3 shelvees
Size WxHxD	80x54x46 cm (31x21,2x18,1 in)
Weight	18,5 kg (34,47 lb)
Shelf size	47x36 cm (18,50x14,17 in)
Color	RAL7035 (Light Grey)
Frame Material	Trolley made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type	80 mm wheels diameter, anterior wheels, whit block system.

+ 50 D	+ TOUCH 200	+ SURTRON EVAC
+ 80 D	+ FLASH 120	+ SURTRON ABC
+ 80	+ FLASH 160 HF	+ TOUCH HP 50D
+ 120	+ FLASH 200	+ TOUCH HP 80D
+ 160	+ 300 HP	+ TOUCH HP 80
+ 200	+ 400 HP	+ TOUCH HP 120
+ TOUCH 200	+ SURTRON EVAC	+ TOUCH HP 160
+ FLASH 120	+ SURTRON ABC	+ TOUCH HP 200
+ FLASH 160 HF	+ TOUCH HP 50D	+ TOUCH HP 300
+ FLASH 200	+ TOUCH HP 80D	+ TOUCH HP 400
+ 300 HP	+ TOUCH HP 80	+ TOUCH HP EVAC
+ 400 HP	+ TOUCH HP 120	



pcs: 1

TR004



Description	Trolley 4 shelvees
Size WxHxD	90x46x46 cm (35,43x18,1x18,1 in)
Weight	20 kg (39,6 lb)
Shelf size	40x36 cm (15,74x14,17 in)
Color	RAL7035 (Light Grey)
Frame Material	Trolley made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type	80 mm wheels diameter, anterior wheels whit block system.

+ 50 D	+ TOUCH 200	+ SURTRON EVAC
+ 80 D	+ FLASH 120	+ SURTRON ABC
+ 80	+ FLASH 160 HF	+ TOUCH HP 50D
+ 120	+ FLASH 200	+ TOUCH HP 80D
+ 160	+ 300 HP	+ TOUCH HP 80
+ 200	+ 400 HP	+ TOUCH HP 120
+ TOUCH 200	+ SURTRON EVAC	+ TOUCH HP 160
+ FLASH 120	+ SURTRON ABC	+ TOUCH HP 200
+ FLASH 160 HF	+ TOUCH HP 50D	+ TOUCH HP 300
+ FLASH 200	+ TOUCH HP 80D	+ TOUCH HP 400
+ 300 HP	+ TOUCH HP 80	+ TOUCH HP EVAC
+ 400 HP	+ TOUCH HP 120	



pcs: 1

Description Trolley 5 shelvees
Size WxHxD 112x46x46 cm (44x18,1x18,1 in)
Weight 19 kg (41,9 lb)
Shelf size 40x36 cm (15,74x14,17 in)
Color RAL7035 (Light Grey)
Frame Material Trolley made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type 80 mm wheels diameter, anterior wheels whit block system.

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- x TOUCH HP EVAC



TR005



Description Trolley 5 shelvees
Size WxHxD 112x46x54 cm (44x18,1x21,2 in)
Weight 24,5 kg (54 lb)
Shelf size 47x36 cm (18,50x14,17 in)
Color RAL7035 (Light Grey)
Frame Material Trolley made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type 80 mm wheels diameter, anterior wheels whit block system.

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- x TOUCH HP EVAC



TR005W



Description Support for Cylinder
Size WxHxD 18x6x20 cm (7x2,3x7,87 in)
Weight 0,5 kg (1,1 lb)
Color RAL7016 (Anthracite Gray)
Frame Material Shelves made with steel, covered with a coat of paint.

- x 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- + SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- x TOUCH HP 80
- x TOUCH HP 120
- x TOUCH HP 160
- x TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- x TOUCH HP EVAC



TRCYLSUP01



TRDRAWER01



Description Drawer for trolley type TR
Size WxHxD 38,5x10x28,7 cm (15x3,9x11,3 in)

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



TRDRAWER01W




Description Drawer for trolley type TR W
Size WxHxD 38,5x10x28,7 cm (15x3,9x11,3 in)

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



TRST001



Description SURTRON TOUCH HP 300/400 Trolley
Size WxHxD 53x108,5x57,5 cm (20x42,7x22,6 in)
Weight 33 Kg (72,75lb)
shelf size 43,5x10x38 mm (17,x3,9x15 in)
Color RAL7016 (Anthracite gray)
RAL6027 (Light Green)
RAL9005 (Intense Black)

Frame Material Trolley with column made of aluminum with adjustable shelves made with steel, covered with a coat of paint.

Wheel type 80 mm wheels diameter, anterior wheels whit block system.

- + 50 D
- + 80 D
- + 80
- + 120
- + 160
- + 200
- + TOUCH 200
- + FLASH 120
- + FLASH 160 HF
- + FLASH 200
- + 300 HP
- + 400 HP
- + SURTRON EVAC
- + SURTRON ABC
- + TOUCH HP 50D
- + TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



Description SURTRON TOUCH HP 200 Trolley
Size WxHxD 53x108,5x57,5 cm (20x42,7x22,6 in)
Weight 33 Kg (72,75lb)
shelf size 43,5x10x38 mm (17,x3,9x15 in)
Color RAL7016 (Anthracite gray)
 RAL6027 (Light Green)
 RAL9005 (Intense Black)
Frame Material Trolley with column made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type 80 mm wheels diameter, anterior wheels whit block system.

50 D	x	TOUCH 200
80 D	x	FLASH 120
80	x	FLASH 160 HF
120	x	FLASH 200
160	x	300 HP
200	x	400 HP
	x	SURTRON EVAC
	x	SURTRON ABC
	x	TOUCH HP 50D
	x	TOUCH HP 80D
	x	TOUCH HP 80
	x	TOUCH HP 120
	x	TOUCH HP 160
	+	TOUCH HP 200
	x	TOUCH HP 300
	x	TOUCH HP 400
	x	TOUCH HP EVAC

 pcs: 1
 WxHxD: 100x60x18 cm Weight: 33 kg



Description SURTRON TOUCH HP80/120/160 Trolley
Size WxHxD 53x108,5x57,5 cm (20x42,7x22,6 in)
Weight 33 Kg (72,75lb)
shelf size 43,5x10x38 mm (17,x3,9x15 in)
Color RAL7016 (Anthracite gray)
 RAL6027 (Light Green)
 RAL9005 (Intense Black)
Frame Material Trolley with column made of aluminum with adjustable shelves made with steel, covered with a coat of paint.
Wheel type 80 mm wheels diameter, anterior wheels whit block system.

50 D	x	TOUCH 200
80 D	x	FLASH 120
80	x	FLASH 160 HF
120	x	FLASH 200
160	x	300 HP
200	x	400 HP
	x	SURTRON EVAC
	x	SURTRON ABC
	x	TOUCH HP 50D
	x	TOUCH HP 80D
	+	TOUCH HP 80
	+	TOUCH HP 120
	+	TOUCH HP 160
	x	TOUCH HP 200
	x	TOUCH HP 300
	x	TOUCH HP 400
	x	TOUCH HP EVAC

 pcs: 1
 WxHxD: 100x60x18 cm Weight: 33 kg



Description Shelf for SURTRON TOUCH HP EVAC
Size WxHxD 37x14x43 cm (14,5x5,5x16,9 in)
Weight 5 kg (11 lb)
Color RAL6027 (Light Green)
Frame Material Baket made with steel, covered with a coat of paint.

50 D	x	TOUCH 200
80 D	x	FLASH 120
80	x	FLASH 160 HF
120	x	FLASH 200
160	x	300 HP
200	x	400 HP
	x	SURTRON EVAC
	x	SURTRON ABC
	x	TOUCH HP 50D
	x	TOUCH HP 80D
	x	TOUCH HP 80
	x	TOUCH HP 120
	x	TOUCH HP 160
	x	TOUCH HP 200
	x	TOUCH HP 300
	x	TOUCH HP 400
	+	TOUCH HP EVAC

 pcs: 1



6959A



Description	Shelf for SURTRON TOUCH HP 300 and TOUCH HP 400 Trolley
Size WxHxD	39x14x46 cm (15,35x5,5x18,1 in)
Weight	5,4 Kg (11,9 lb)
Color	RAL6027 (Light Green)

50 D	TOUCH 200	SURTRON EVAC
x	x	x
80 D	FLASH 120	SURTRON ABC
x	x	x
80	FLASH 160 HF	TOUCH HP 50D
x	x	x
120	FLASH 200	TOUCH HP 80D
x	x	x
160	300 HP	TOUCH HP 80
x	x	x
200	400 HP	TOUCH HP 120
x	x	x
TOUCH 200		TOUCH HP 160
x		x
FLASH 120		TOUCH HP 200
x		x
FLASH 160 HF		TOUCH HP 300
x		x
FLASH 200		TOUCH HP 400
x		x
300 HP		TOUCH HP EVAC
x		x
400 HP		
x		



pcs: 1

6992A



Description	Shelf for SURTRON TOUCH HP 200
Size WxHxD	34x14x38 cm (13,38x5,5x14,9 in)
Weight	4,4 Kg (9,7 lb)
Color	RAL6027 (Light Green)

50 D	TOUCH 200	SURTRON EVAC
x	x	x
80 D	FLASH 120	SURTRON ABC
x	x	x
80	FLASH 160 HF	TOUCH HP 50D
x	x	x
120	FLASH 200	TOUCH HP 80D
x	x	x
160	300 HP	TOUCH HP 80
x	x	x
200	400 HP	TOUCH HP 120
x	x	x
TOUCH 200		TOUCH HP 160
x		x
FLASH 120		TOUCH HP 200
x		x
FLASH 160 HF		TOUCH HP 300
x		x
FLASH 200		TOUCH HP 400
x		x
300 HP		TOUCH HP EVAC
x		x
400 HP		
x		



pcs: 1

7277A



Description	Shelf for SURTRON TOUCH HP 80/120/160 Trolley
Size WxHxD	25x14x27 cm (9,8x5,5x10,6 in)
Weight	3,4 Kg (6,6 lb)
Color	RAL6027 (Light Green)

50 D	TOUCH 200	SURTRON EVAC
x	x	x
80 D	FLASH 120	SURTRON ABC
x	x	x
80	FLASH 160 HF	TOUCH HP 50D
x	x	x
120	FLASH 200	TOUCH HP 80D
x	x	x
160	300 HP	TOUCH HP 80
x	x	x
200	400 HP	TOUCH HP 120
x	x	x
TOUCH 200		TOUCH HP 160
x		x
FLASH 120		TOUCH HP 200
x		x
FLASH 160 HF		TOUCH HP 300
x		x
FLASH 200		TOUCH HP 400
x		x
300 HP		TOUCH HP EVAC
x		x
400 HP		
x		



pcs: 1

Description
Size WxHxD
Weight
Color
Frame Material

Basket for ST Trolley
43,5x10x38 mm (17,x3,9x15 in)
3,2 kg (7 lb)
RAL9005 (Intense Black)
Baket made with steel,
covered with a coat of paint.

TRSTB01

- x 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



pcs: 1



Description
Size WxHxD
Weight
Color
Frame Material

Support section for ST Trolley
43,5x13,5x38 cm (17x5,3x15 in)
5,75Kg (2,26lb)
RAL6027 (Light Green)
Holder made with steel, covered
with a coat of paint.

TRSTP01

- x 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- + TOUCH HP 80
- + TOUCH HP 120
- + TOUCH HP 160
- + TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- + TOUCH HP EVAC



pcs: 1



Description
Size WxHxD
Weight
Color
Frame Material

Basket for ST Trolley
14,5x30x19,3 cm (5,7x11,8x7,6 in)
2,4 Kg (5,29 lb)
RAL6027 (Light Green)
Basket holder applicable to the
Surtron Touch HP Trolley made with
steel, covered with a coat of paint.


TRSTCS1

- x 50 D
- x 80 D
- x 80
- x 120
- x 160
- x 200
- x TOUCH 200
- x FLASH 120
- x FLASH 160 HF
- x FLASH 200
- x 300 HP
- x 400 HP
- x SURTRON EVAC
- x SURTRON ABC
- x TOUCH HP 50D
- x TOUCH HP 80D
- x TOUCH HP 80
- x TOUCH HP 120
- x TOUCH HP 160
- x TOUCH HP 200
- + TOUCH HP 300
- + TOUCH HP 400
- x TOUCH HP EVAC



pcs: 1







www.led.it
info@led.it



Headquarter
LED SpA
via Selciatella, 40
04011 Aprilia (LT) Italy

W led.it
M info@led.it
P +39 06 92870045